

Safety Data Sheet

According to 1907/2006 (REACH) Article 31,
2015/830/EU and 1272/2008/EC
Date: 29.09.2017 – Version A

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

COB 50

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Oven liquid cleaner

1.3 Details of the supplier of the safety data sheet:

COBART CHEMICALS

BARBOUNAKIS SA

Samou 27, 163 42 ILIOUPOLI, ATHENS

Tel.: (+30) 210.9954953 - 210.99629355, Fax: (+30) 210.9962356

e-mail: info@cobart.gr

1.4 Emergency telephone number:

Hellenic Poison Centre Tel.: **(+30) 210.7793777**

European Emergency Tel.: **112**

Supplier's emergency telephone number:

Calls from 08:00 to 16:00: **(+30) 210.9954953**

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Regulation 1272/2008 (CLP) and following amendments and adjustments:

Hazard classification and indication:

Substance or mixture corrosive to metals, category 1 H290

Skin corrosion, category 1A H314

2.2 Label elements:

Hazard labeling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements:

Hazard pictograms:



GHS05

Signal words: **DANGER**

Hazard statements:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P102 Keep out of reach of children.

P260 Do not breathe gas/mist/spray.

P264 Wash hands thoroughly after handling.

Safety Data Sheet

According to 1907/2006 (REACH) Article 31,
2015/830/EU and 1272/2008/EC
Date: 29.09.2017 – Version A



P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P405 Store locked up.
P501 Dispose of contents/container according to national/European laws.

Contains: Sodium hydroxide.

2.3 Other hazards:
On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0.1%.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:
Information not relevant.

3.2 Mixtures:
Contains:

Identification	Conc. %	Classification 1272/2008 (CLP)
Sodium hydroxide		
CAS. 1310-73-2 CE. 215-185-5 INDEX. 011-002-00-6 Reg. no. 01-2119457892-27-xxxx	1 - 10	Met. Corr. 1 H290, Skin Corr. 1A H314
1-butoxypropan-2-ol		
CAS. 5131-66-8 CE. 225-878-4 INDEX. 603-052-00-8 Reg. no. 01-2119475527-28-0000	1 - 10	Flam. Liq. 3 H226, Eye Irrit. 2 H319, Skin Irrit. 2 H315
D-Glucopyranose, oligomeric, decyl octyl glycosides		
CAS. 68515-73-1 CE. 500-220-1 INDEX. - Reg. no. 01-2119488530-36-xxxx	1 - 10	Eye Dam. 1 H318

The full wording of the hazard (H) phrases is given in section 16 of the sheet.

4. FIRST AID MEASURES

4.1 Description of first aid measures:

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.
SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.
INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorized by a doctor.
INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2 Most important symptoms and effects, both acute and delayed:

Specific information on symptoms and effects caused by the product are unknown. For symptoms and effects caused by the contained substances, see section 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Information not available.

Safety Data Sheet

According to 1907/2006 (REACH) Article 31,
2015/830/EU and 1272/2008/EC
Date: 29.09.2017 – Version A



5. FIREFIGHTING MEASURES

5.1 **Extinguishing media:**

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2 **Special hazards arising from the substance or mixture:**

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3 **Advice for firefighters:**

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6. ACCIDENTAL RELEASE MEASURES

6.1 **Personal precautions, protective equipment and emergency procedures:**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2 **Environmental precautions:**

The product must not penetrate the sewer system or come into contact with surface water or ground water.

6.3 **Methods and material for containment and cleaning up:**

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in section 13.

6.4 **Reference to other sections:**

Any information on personal protection and disposal is given in sections 8 and 13.

7. HANDLING AND STORAGE

7.1 **Precautions for safe handling:**

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapors or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2 **Conditions for safe storage, including any incompatibilities:**

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

Safety Data Sheet

According to 1907/2006 (REACH) Article 31,
2015/830/EU and 1272/2008/EC
Date: 29.09.2017 – Version A



7.3 Specific end use(s):
Information not available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

SODIUM HYDROXIDE

Οριακή τιμή κατωφλίου

Type	Country	TWA/8h mg/m ³	ppm	STEL/15min mg/m ³	ppm
WEL	GBR			2	
TLV	GRC	2		2	
TLV-ACGIH				2 (C)	

C = Ceiling

8.2 Exposure controls:

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

8.2.1 Eye protection:

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

8.2.2 Skin protection:

Hand protection:

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves wear time depends on the duration and type of use.

Other skin protection:

Wear category III professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

8.2.3 Respiratory protection:

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

8.2.4 Environmental exposure controls:

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

Appearance: Liquid
Color: Yellowish

Safety Data Sheet

According to 1907/2006 (REACH) Article 31,
2015/830/EU and 1272/2008/EC
Date: 29.09.2017 – Version A



Odor:	Characteristic
pH (solution):	>12.0
Flash point:	>60°C
Density:	1.10gr/ml (@ 20°C)
Viscosity:	N/A
Solubility:	In the water

9.2 Other informationw:

VOC (Directive 2010/75/EC):	10.00 %
VOC (volatile carbon):	6.30 %

10. STABILITY AND REACTIVITY

10.1 Reactivity:

There are no particular risks of reaction with other substances in normal conditions of use.

10.2 Chemical stability:

The product is stable in normal conditions of use and storage.

10.3 Possibility of hazardous reactions:

The vapours may also form explosive mixtures with the air.

10.4 Conditions to avoid:

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

SODIUM HYDROXIDE

Avoid exposure to air, moisture, sources of heat.

10.5 Incompatible materials:

SODIUM HYDROXIDE

Incompatible with: strong acids, ammonia, zinc, lead, aluminium, water, flammable liquids.

10.6 Hazardous decomposition products:

Information not available.

11. TOXICOLOGICAL INFORMATION

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1 Information on toxicological effects:

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY.

LC₅₀ (Inhalation) of the mixture: Not classified (no significant component).

LD₅₀ (Oral) of the mixture: Not classified (no significant component).

LD₅₀ (Dermal) of the mixture: Not classified (no significant component).

SODIUM HYDROXIDE

LD₅₀ (Oral). 1350 mg/kg Rat

Safety Data Sheet

According to 1907/2006 (REACH) Article 31,
2015/830/EU and 1272/2008/EC
Date: 29.09.2017 – Version A



LD₅₀ (Dermal). 1350 mg/kg Rat

1-BUTOXYPROPAN-2-OL

LD₅₀ (Oral). 3300 mg/kg Rat

LD₅₀ (Dermal). > 2000 mg/kg Rat

D-GLUCOPYRANOSE, OLIGOMERIC, DECYL OCTYL GLYCOSIDES

LD₅₀ (Oral). > 2000 mg/kg

SKIN CORROSION / IRRITATION.

Corrosive for the skin.

SERIOUS EYE DAMAGE / IRRITATION.

Causes serious eye damage.

RESPIRATORY OR SKIN SENSITISATION.

Does not meet the classification criteria for this hazard class.

GERM CELL MUTAGENICITY.

Does not meet the classification criteria for this hazard class.

CARCINOGENICITY.

Does not meet the classification criteria for this hazard class.

REPRODUCTIVE TOXICITY.

Does not meet the classification criteria for this hazard class.

STOT - SINGLE EXPOSURE.

Does not meet the classification criteria for this hazard class.

STOT - REPEATED EXPOSURE.

Does not meet the classification criteria for this hazard class.

ASPIRATION HAZARD.

Does not meet the classification criteria for this hazard class.

12. ECOLOGICAL INFORMATION

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1 **Toxicity:**

D-GLUCOPYRANOSE, OLIGOMERIC, DECYL OCTYL GLYCOSIDES

LC₅₀ - for Fish. 1 mg/l/96h

EC₅₀ - for Crustacea. 10 mg/l/48h

EC₅₀ for Algae / Aquatic Plants. 10 mg/l/72h

12.2 **Persistence and degradability:**

SODIUM HYDROXIDE

Solubility in water. > 10000 mg/l

Degradability. information not available

1-BUTOXYPROPAN-2-OL

Solubility in water. 52000 mg/l

Rapidly degradable.

D-GLUCOPYRANOSE, OLIGOMERIC, DECYL OCTYL GLYCOSIDES

Rapidly degradable.

12.3 **Bioaccumulative potential:**

1-BUTOXYPROPAN-2-OL

Partition coefficient: n-octanol/water. 1.2

12.4 **Mobility in soil:**

Information not available.

12.5 **Results of PBT and vPvB assessment:**

Based on available data, the product does not contain any PBT or vPvB in percentage greater than 0.1%.

Safety Data Sheet

According to 1907/2006 (REACH) Article 31,
2015/830/EU and 1272/2008/EC
Date: 29.09.2017 – Version A

12.6 Other adverse effects:
Information not available.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:
Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorized waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14. TRANSPORT INFORMATION

14.1 UN number:
ADR / RID, IMDG, IATA: **1719**

14.2 UN proper shipping name:
ADR / RID: CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)
IMDG: CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)
IATA: CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)

14.3 Transport hazard class(es):

ADR / RID: Class: 8 Label: 8



IMDG: Class: 8 Label: 8



IATA: Class: 8 Label: 8



14.4 Packing group:
ADR / RID, IMDG, IATA: II

14.5 Environmental hazards:
ADR / RID: NO
IMDG: NO
IATA: NO

14.6 Special precautions for user:

ADR / RID:	HIN - Kemler: 80	Limited Quantities 1 L	Tunnel restriction code (E)
	Special Provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities 1 L	
IATA:	Cargo:	Maximum quantity: 30 L	Packaging instructions: 855
	Pass.:	Maximum quantity: 1 L	Packaging instructions: 851
	Special Instructions:	A3, A803	

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:
Information not relevant.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Seveso Category - Directive 2012/18/EC: **None**

Safety Data Sheet

According to 1907/2006 (REACH) Article 31,
2015/830/EU and 1272/2008/EC
Date: 29.09.2017 – Version A

Substances in Candidate List (Art. 59 REACH).

Based on available data, the product does not contain any SVHC in percentage greater than 0.1%.

Substances subject to authorisation (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012.

None.

Substances subject to the Rotterdam Convention.

None.

Substances subject to the Stockholm Convention.

None.

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

15.2 Chemical safety assessment:

No chemical safety assessment has been processed for the mixture and the substances it contains.

16. OTHER INFORMATION

Publisher of Safety Data Sheet:



QACS Ltd

Quality Assurance and Control Systems
1, Antigonis str., 144 51, Metamorfoosi, Athens, Greece
Tel.: +30 210 2364745, Fax: +30 210 2934606
E-mail: info@qacs.gr
Website: www.qacslab.com

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3	Flammable liquid, category 3.
Met. Corr. 1	Substance or mixture corrosive to metals, category 1.
Skin Corr. 1A	Skin corrosion, category 1A.
Eye Dam. 1	Serious eye damage, category 1.
Eye Irrit. 2	Eye irritation, category 2.
Skin Irrit. 2	Skin irritation, category 2.
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level

Safety Data Sheet

According to 1907/2006 (REACH) Article 31,
2015/830/EU and 1272/2008/EC
Date: 29.09.2017 – Version A



- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
4. Regulation (EU) 2015/830 of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. The Merck Index. - 10th Edition
13. Handling Chemical Safety
14. Niosh - Registry of toxic effects of chemical substances
15. INRS - Fiche Toxicologique (toxicological sheet)
16. Patty - Industrial Hygiene and Toxicology
17. N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
18. Ιστοσελίδα Web Agenzia ECHA

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:
Initial version.