According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 19.09.2017 – Version A



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

COB DRY HYPER

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Dishwasher rinse aid

1.3 Details of the supplier of the safety data sheet:

COBART CHEMICALS BARBOUNAKIS SA

Samou 27, 163 42 ILIOUPOLI, ATHENS

Tel.: (+30) 210.9954953 - 210.99629355, Fax: (+30) 210.9962356

e-mail: info@cobart.gr

1.4 Emergency telephone number:

Hellenic Poison Centre Tel.: (+30) 210.7793777

European Emergency Tel.: 112

Supplier's emergency telephone number:

Calls from 08:00 to 16:00: (+30) 210.9954953

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Regulation 1272/2008 (CLP) and following amendments and adjustments:

Hazard classification and indication:

Flammable liquid, category 3 H226 Eye irritation, category 2 H319

2.2 Label elements:

Hazard labeling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements:

Hazard pictograms:





GHS02

)2 GHS07

Signal words: WARNING

Hazard statements:

H226 Flammable liquid and vapour. **H319** Causes serious eye irritation.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 19.09.2017 – Version A



P264 Wash hands thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice / attention.

P501 Dispose of contents / container according to national/european laws.

2.3 Other hazards:

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0.1%.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Information not relevant.

3.2 Mixtures:

Contains:

Identification	Conc. %.	Classification 1272/2008 (CLP)				
Alcohols, C13-15-branched and linear, butoxylated ethoxylated						
CAS. 111905-53-4	5 - 10	Acute Tox. 4 H302, Eye Irrit. 2 H319, Aquatic Chronic 3 H412				
CE						
INDEX						
Reg. no						
Propan-2-ol						
CAS. 67-63-0	5 - 10	Flam. Liq. 2 H225, Eye Irrit. 2 H319, STOT SE 3 H336				
CE. 200-661-7						
INDEX. 603-117-00-0						
Reg. no. 01-2119457558-25-xxxx						

The full wording of the hazard (H) phrases is given in section 16 of the sheet.

4. FIRST AID MEASURES

4.1 Description of first aid measures:

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately. INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2 Most important symptoms and effects, both acute and delayed:

Specific information on symptoms and effects caused by the product are unknown. For symptoms and effects caused by the contained substances, see section 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Information not available.

5. FIREFIGHTING MEASURES

5.1 Extinguishing media:

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 19.09.2017 – Version A



5.2 Special hazards arising from the substance or mixture:

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3 Advice for firefighters:

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

Send away individuals who are not suitably equipped. Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site.

6.2 Environmental precautions:

The product must not penetrate the sewer system or come into contact with surface water or ground water.

6.3 Methods and material for containment and cleaning up:

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in section 13.

6.4 Reference to other sections:

Any information on personal protection and disposal is given in sections 8 and 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling:

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

7.2 Conditions for safe storage, including any incompatibilities:

Store only in the original container. Store the containers sealed, in a well-ventilated place, away from direct sunlight. Store in a well-ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3 Specific end use(s):

Information not available.

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 19.09.2017 – Version A



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

PROPAN-2-OL

Threshold Limit Value						
Туре	Country	Country TWA/8h		STEL/15min		
		mg/m3	ppm	mg/m3	ppm	
WEL	GRB	999	400	1250	500	
TLV	GRC	980	400	1225	500	
TLV-ACGIH		492	200	983	400	

TLV of solvent mixture: 492 mg/m³

8.2 Exposure controls:

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

8.2.1 Eye protection:

Wear airtight protective goggles (see standard EN 166).

8.2.2 Skin protection:

Hand protection:

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves wear time depends on the duration and type of use.

Other skin protection:

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

8.2.3 Respiratory protection:

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

8.2.4 Environmental exposure controls:

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

Appearance: Liquid
Color: Blue
Odor: Odorless
pH (solution): 2.50 –13.00
Flash point: 38°C

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 19.09.2017 – Version A



Specific Gravity: N/A
Viscosity: N/A

Solubility: In the water

9.2 Other informationw:

VOC (Directive 2010/75/EC): 6.50 % VOC (volatile carbon): 4.07 %

10. STABILITY AND REACTIVITY

10.1 Reactivity:

There are no particular risks of reaction with other substances in normal conditions of use.

10.2 Chemical stability:

The product is stable in normal conditions of use and storage.

10.3 Possibility of hazardous reactions:

The vapours may also form explosive mixtures with the air.

10.4 Conditions to avoid:

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

10.5 Incompatible materials:

Information not available.

10.6 Hazardous decomposition products:

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

11. TOXICOLOGICAL INFORMATION

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1 Information on toxicological effects:

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY.

LC₅₀ (Inhalation) of the mixture: Not classified (no significant component).

LD₅₀ (Oral) of the mixture: >2000 mg/kg.

LD₅₀ (Dermal) of the mixture: Not classified (no significant component).

PROPAN-2-OL

 LD_{50} (Oral). 4710 mg/kg Rat LD_{50} (Dermal). 12800 mg/kg Rat

ALCOHOLS, C13-15-BRANCHED AND LINEAR, BUTOXYLATED ETHOXYLATED

 LD_{50} (Oral). > 300 mg/kg Rat

SKIN CORROSION / IRRITATION.

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 19.09.2017 – Version A



Corrosive for the skin.

SERIOUS EYE DAMAGE / IRRITATION.

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION.

Does not meet the classification criteria for this hazard class.

GERM CELL MUTAGENICITY.

Does not meet the classification criteria for this hazard class.

CARCINOGENICITY.

Does not meet the classification criteria for this hazard class.

REPRODUCTIVE TOXICITY.

Does not meet the classification criteria for this hazard class.

STOT - SINGLE EXPOSURE.

Does not meet the classification criteria for this hazard class.

STOT - REPEATED EXPOSURE.

Does not meet the classification criteria for this hazard class.

ASPIRATION HAZARD.

Does not meet the classification criteria for this hazard class.

12. ECOLOGICAL INFORMATION

Use in accordance with good working practices, avoiding the product being dropped into the environment. Inform the appropriate authorities if the product reaches water courses or if it contaminates the soil or vegetation.

12.1 Toxicity:

ALCOHOLS, C13-15-BRANCHED AND LINEAR, BUTOXYLATED ETHOXYLATED

 LC_{50} - for Fish. > 1 mg/l/96h Leuciscus idus EC_{50} - for Crustacea. > 1 mg/l/48h Daphnia magna Chronic NOEC for Crustacea. > 0.1 mg/l Daphnia magna

12.2 Persistence and degradability:

PROPAN-2-OL Rapidly degradable

ALCOHOLS, C13-15-BRANCHED AND LINEAR, BUTOXYLATED ETHOXYLATED

Rapidly degradable

12.3 Bioaccumulative potential:

PROPAN-2-OL

Partition coefficient: n-octanol/water. 0.05

12.4 Mobility in soil:

Information not available.

12.5 Results of PBT and vPvB assessment:

Based on available data, the product does not contain any PBT or vPvB in percentage greater than 0.1%.

12.6 Other adverse effects:

Information not available.

13. <u>DISPOSAL CONSIDERATIONS</u>

13.1 Waste treatment methods:

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 19.09.2017 – Version A



14. TRANSPORT INFORMATION

14.1 UN number:

ADR / RID, IMDG, IATA: 1993

14.2 UN proper shipping name:

ADR / RID: FLAMMABLE LIQUID, N.O.S. MIXTURE IMDG: FLAMMABLE LIQUID, N.O.S. MIXTURE IATA: FLAMMABLE LIQUID, N.O.S. MIXTURE

14.3 Transport hazard class(es):

ADR / RID: Class: 3 Label: 3

IMDG: Class: 3 Label: 3

IATA: Class: 3 Label: 3

14.4 Packing group:

ADR / RID, IMDG, IATA: III

14.5 Environmental hazards:

ADR / RID: NO IMDG: NO IATA: NO

14.6 Special precautions for user:

ADR / RID: HIN - Kemler: 30 Limited Quantities: 5L Tunnel restriction code (D/E)

Special Provision: -

IMDG: EMS: F-E, S-E Limited Quantities: 5L

IATA: Cargo: Maximum quantity: 220L Packaging instructions: 366
Pass.: Maximum quantity: 60L Packaging instructions: 355

Special Instructions: A3

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:

Information not relevant.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Seveso Category - Directive 2012/18/EC: P5c

Substances in Candidate List (Art. 59 REACH).

Based on available data, the product does not contain any SVHC in percentage greater than 0.1%.

Substances subject to authorisation (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012.

None.

Substances subject to the Rotterdam Convention.

None.

Substances subject to the Stockholm Convention.

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 19.09.2017 – Version A



None.

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

15.2 Chemical safety assessment:

No chemical safety assessment has been processed for the mixture and the substances it contains.

16. OTHER INFORMATION

Publisher of Safety Data Sheet:



QACS Ltd

Quality Assurance and Control Systems

1, Antigonis str., 144 51, Metamorfosi, Athens, Greece

Tel.: +30 210 2364745, Fax: +30 210 2934606

E-mail: info@qacs.gr
Website: www.qacslab.com

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2.
Flam. Liq. 3 Flammable liquid, category 3.
Acute Tox. 4 Acute toxicity, category 4.
Eye Irrit. 2 Eye irritation, category 2.

STOT SE 3 Specific target organ toxicity - single exposure, category 3.

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3.

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 19.09.2017 – Version A



- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. The Merck Index. 10th Edition
- 13. Handling Chemical Safety
- 14. Niosh Registry of toxic effects of chemical substances
- 15. INRS Fiche Toxicologique (toxicological sheet)
- 16. Patty Industrial Hygiene and Toxicology
- 17. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 18. Ιστοσελίδα Web Agenzia ECHA

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: Initial version.