According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 03.10.2017 – Version A



### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier:

# **COB GLASS**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Glass cleaner

# 1.3 Details of the supplier of the safety data sheet:

COBART CHEMICALS BARBOUNAKIS SA

Samou 27, 163 42 ILIOUPOLI, ATHENS

Tel.: (+30) 210.9954953 - 210.99629355, Fax: (+30) 210.9962356

e-mail: info@cobart.gr

### 1.4 Emergency telephone number:

Hellenic Poison Centre Tel.: (+30) 210.7793777

European Emergency Tel.: 112

### Supplier's emergency telephone number:

Calls from 08:00 to 16:00: (+30) 210.9954953

### 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture:

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

# 2.2 Label elements:

Hazard labeling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements:

Hazard pictograms: void

Signal words: void

Hazard statements:

**EUH210** Safety data sheet available on request.

Precautionary statements:

**P101** If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use.

# 2.3 Other hazards:

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0.1%.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances:

Information not relevant.

# 3.2 Mixtures:

Contains:

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 03.10.2017 – Version A



Identification	Conc. %.	Classification 1272/2008 (CLP)		
1-butoxypropan-2-ol				
CAS. 5131-66-8	1 - 10	Flam. Liq. 3 H226, Eye Irrit. 2 H319, Skin Irrit. 2 H315		
CE. 225-878-4				
INDEX. 603-052-00-8				
Reg. no. 01-2119475527-28-0000				
Ethanol				
CAS. 64-17-5	1 - 10	Flam. Liq. 2 H225, Eye Irrit. 2 H319, STOT SE 3 H336		
CE. 200-578-6				
INDEX. 603-002-00-5				
Reg. no. 01-2119457610-43-0000				

The full wording of the hazard (H) phrases is given in section 16 of the sheet.

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures:

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately. INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorized by a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed:

Specific information on symptoms and effects caused by the product are unknown.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Information not available.

### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media:

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide and chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapors and protect those trying to stem the leak.

# UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

### 5.2 Special hazards arising from the substance or mixture:

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

### 5.3 Advice for firefighters:

### **GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 03.10.2017 – Version A



Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2 Environmental precautions:

The product must not penetrate the sewer system or come into contact with surface water or ground water.

### 6.3 Methods and material for containment and cleaning up:

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in section 13.

#### 6.4 Reference to other sections:

Any information on personal protection and disposal is given in sections 8 and 13.

### HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapors may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store only in the original container. Store in a well-ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

# 7.3 Specific end use(s):

Information not available.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters:

ETHANOL						
Threshold Limit Value.						
Туре	Country	TWA/8h		STEL/15min		
		mg/m3	ppm	mg/m3	ppm	
WEL	GRB	1920	1000			
TLV	GRC	1900	1000			
TLV-ACGIH				1884	1000	

# 8.2 Exposure controls:

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

# 8.2.1 Eye protection:

Wear airtight protective goggles (see standard EN 166).

# 8.2.2 Skin protection:

### Hand protection:

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves wear time depends on the duration and type of use.

Other skin protection:

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 03.10.2017 – Version A



Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

### 8.2.3 Respiratory protection:

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

### 8.2.4 Environmental exposure controls:

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties:

Appearance: Liquid
Color: Blue
Characteristics

Odor: Characteristic pH (solution): 7.50 - 8.50 Flash point:  $> 60^{\circ}$ C

Specific Gravity: 1.01 gr/ml (@ 20°C)

Viscosity: N/A
Solubility: In the water

9.2 Other informations:

VOC (Directive 2010/75/EC): 18.00 % VOC (volatile carbon): 10.36 %

### 10. STABILITY AND REACTIVITY

### 10.1 Reactivity:

There are no particular risks of reaction with other substances in normal conditions of use.

## 10.2 Chemical stability:

The product is stable in normal conditions of use and storage.

# 10.3 Possibility of hazardous reactions:

The vapors may also form explosive mixtures with the air.

**ETHANOL** 

Risk of explosion on contact with: alkaline metals, alkaline oxides, calcium hypochlorite, sulphur monofluoride, acetic anhydride, acids, concentrated hydrogen peroxide, perchlorates, perchloric acid, perchloro nitrile, mercury nitrate, nitric acid, silver, silver nitrate, ammonia, silver oxide, ammonia, strong oxidizing agents, nitrogen dioxide. May react dangerously with: Bromo acetylene, chlorine acetylene, bromine trifluoride, chromium trioxide, chromyl chloride, fluorine, potassium tert-butoxide, lithium hydride, phosphorus trioxide, black platinum, zirconium (IV) chloride, zirconium (IV) iodide. Forms explosive mixtures with: air.

# 10.4 Conditions to avoid:

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

ETHANOL

Avoid exposure to: sources of heat, naked flames.

# 10.5 Incompatible materials:

Information not available.

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 03.10.2017 – Version A



### 10.6 Hazardous decomposition products:

In the event of thermal decomposition or fire, gases and vapors that are potentially dangerous to health may be released.

### 11. TOXICOLOGICAL INFORMATION

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

### 11.1 Information on toxicological effects:

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

### ACUTE TOXICITY.

LC<sub>50</sub> (Inhalation) of the mixture: Not classified (no significant component).

LD<sub>50</sub> (Oral) of the mixture: Not classified (no significant component).

LD<sub>50</sub> (Dermal) of the mixture: Not classified (no significant component).

1-BUTOXYPROPAN-2-OL

 $LD_{50}$  (Oral). 3300 mg/kg Rat

LD<sub>50</sub> (Dermal). > 2000 mg/kg Rat

ETHANOL

LD<sub>50</sub> (Oral). > 5000 mg/kg Rat

### **SKIN CORROSION / IRRITATION.**

Does not meet the classification criteria for this hazard class.

SERIOUS EYE DAMAGE / IRRITATION.

Does not meet the classification criteria for this hazard class.

RESPIRATORY OR SKIN SENSITISATION.

Does not meet the classification criteria for this hazard class. \\

**GERM CELL MUTAGENICITY.** 

Does not meet the classification criteria for this hazard class.

CARCINOGENICITY.

Does not meet the classification criteria for this hazard class.

REPRODUCTIVE TOXICITY.

Does not meet the classification criteria for this hazard class.

**STOT - SINGLE EXPOSURE.** 

Does not meet the classification criteria for this hazard class.

STOT - REPEATED EXPOSURE.

Does not meet the classification criteria for this hazard class.

ASPIRATION HAZARD.

Does not meet the classification criteria for this hazard class.

### 12. ECOLOGICAL INFORMATION

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 03.10.2017 – Version A



### 12.1 Toxicity:

Information not available.

### 12.2 Persistence and degradability:

1-BUTOXYPROPAN-2-OL

Solubility in water. 52000 mg/l

Rapidly degradable.

**ETHANOL** 

Solubility in water. 1000 - 10000 mg/l

Rapidly degradable.

### 12.3 Bioaccumulative potential:

1-BUTOXYPROPAN-2-OL

Partition coefficient: n-octanol/water. 1.2

**ETHANOL** 

Partition coefficient: n-octanol/water. -0.35

### 12.4 Mobility in soil:

Information not available.

### 12.5 Results of PBT and vPvB assessment:

Based on available data, the product does not contain any PBT or vPvB in percentage greater than 0.1%.

### 12.6 Other adverse effects:

Information not available.

# 13. <u>DISPOSAL CONSIDERATIONS</u>

### 13.1 Waste treatment methods:

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorized waste management firm, in compliance with national and local regulations.

### CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# 14. TRANSPORT INFORMATION

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

# 14.1 UN number:

Not applicable.

# 14.2 UN proper shipping name:

Not applicable.

# 14.3 Transport hazard class(es):

Not applicable.

# 14.4 Packing group:

Not applicable.

# 14.5 Environmental hazards:

Not applicable.

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 03.10.2017 – Version A



# 14.6 Special precautions for user:

Not applicable.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:

Information not relevant.

### 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Seveso Category - Directive 2012/18/EC: None

### Substances in Candidate List (Art. 59 REACH).

Based on available data, the product does not contain any SVHC in percentage greater than 0.1%.

### Substances subject to authorisation (Annex XIV REACH).

None.

### Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012.

None

### Substances subject to the Rotterdam Convention.

None.

### Substances subject to the Stockholm Convention.

None.

### Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

# Regulation (EC) No. 648/2004.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

### 15.2 Chemical safety assessment:

No chemical safety assessment has been processed for the mixture and the substances it contains.

# 16. OTHER INFORMATION

Publisher of Safety Data Sheet:



# **QACS Ltd**

**Quality Assurance and Control Systems** 

1, Antigonis str., 144 51, Metamorfosi, Athens, Greece

Tel.: +30 210 2364745, Fax: +30 210 2934606

E-mail: <a href="mailto:info@qacs.gr">info@qacs.gr</a>
Website: <a href="mailto:www.qacslab.com">www.qacslab.com</a>

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Lig. 2	Flammable liquid, category 2.					
riain. Liq. 2	riaminable liquid, category 2.					
Flam. Liq. 3	Flammable liquid, category 3.					
Eye Irrit. 2	Eye irritation, category 2.					
Skin Irrit. 2	Skin irritation, category 2.					

H225 Highly flammable liquid and vapor.
H226 Flammable liquid and vapor.
H319 Causes serious eye irritation.
H315 Causes skin irritation.

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 03.10.2017 – Version A



#### **EUH210**

Safety data sheet available on request.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

# GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
   Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. The Merck Index. 10th Edition
- 13. Handling Chemical Safety
- 14. Niosh Registry of toxic effects of chemical substances
- 15. INRS Fiche Toxicologique (toxicological sheet)
- 16. Patty Industrial Hygiene and Toxicology
- 17. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 18. Ιστοσελίδα Web Agenzia ECHA

### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper

According to 1907/2006 (REACH) Article 31, 2015/830/EU and 1272/2008/EC Date: 03.10.2017 – Version A



uses.

Provide appointed staff with adequate training on how to use chemical products.

# Changes to previous review:

The following sections were modified: Initial version.